


American National Carbide

Quality Carbide Products for the 21st Century


Brazed Tool Blanks



915 South Cherry Street
Tomball, Texas U.S.A. 77375
(281) 351-7165 • (800) 331-7585
FAX: (281) 255-9333
www.anconline.com



American National Carbide manufactures a wide range of brazed tool blanks from the popular 0000, 1000, and STB series. Our blanks are offered in proven C-2 and C-5 grades to cover most ISO application areas. Enhanced brazeability is achieved by way of a proprietary surface-treatment process that increases wettability.



Grade	ISO Class	Industry Class	Description
AN2 Roughing to Semi-Finishing	K10-K25 N05-N15 S10-S20	C2	AN2 is an uncoated, unalloyed grade with good abrasive wear resistance. Designed for medium to rough turning of cast iron, non-ferrous materials, and high temperature alloys.
AN6 Roughing to Semi-Finishing	P25-P35	C5	AN6 is an uncoated alloyed grade for general purpose machining of steels. Good balance of wear resistance and toughness. Designed for medium cutting speeds and feed rates with medium interrupted cuts.

As a vertically integrated company, ANC controls each of its manufacturing processes from powder to finished product. Using advanced quality assurance methods and continuous improvement throughout the facility guarantees that each product meets a customer's exact specifications.

Short production lead times, quality-focused manufacturing processes, and flexibility in new product design and tooling production make ANC a preferred choice for strategic partnerships.

Call our Customer Service and Support line today to see how ANC can improve your bottom line.

PART NUMBER	T	W	L
0000 Style			
0390	1/4	9/16	1
0410		3/4	
0540	1/2	3/4	1-1/4

PART NUMBER	T	W	L
1000 Style			
1030	1/16	1/4	5/16
1070	3/32		5/16
1080		3/8	3/8
1090	1/2		
1100		1/4	5/8
1120	5/16		
1130		5/8	1/2
1140	3/8		
1150		1/8	3/8
1160	1/2		
1170		3/4	3/4
1180	5/8		
1190		3/4	3/4
1200	1/2		
1210		5/8	5/8
1213	3/4		
1215		1	1
1216	3/8		
1220		5/32	3/8
1230	5/8		
1240			

PART NUMBER	T	W	L	
1000 Style (Cont.)				
1250	3/16	5/16	7/16	
1260			5/8	
1270		3/8	1/2	1/2
1290				3/4
1320		1/2	1/2	1/2
1330				3/4
1340	3/4	3/8	9/16	
1350			1/4	3/8
1360	1/2	9/16		
1380			5/8	5/8
1390	3/4	3/4		
1400			1	1
1405	3/4	3/4		
1410			1/2	3/4
1415	5/16	5/8		
1440			3/8	1/2
1450	3/4	3/4		
1460			1/2	3/4
1470	3/8	5/8		
1475			3/4	3/4
1490	1/2	3/4		
1500			5/8	5/8
1510	1/2	3/4		
1525			3/4	3/4
1540	1-1/2	1-1/2		
1550				

